

TL 400 VS m



LATEST BOOKBINDING -

TECHNOLOGIES FOR YOUR UNIQUE REQUIREMENTS

Our binding techniques allow seamless uninterrupted display between two pages.

Description


TL 400 VS m is a multi functional Slit and Strip Binding machine which is used to give photo books, a completely LayFlat opening with V-Shape Technology. TL 400 VS m solves this problem by slitting and laminating the spine along with strengthening and adding flexibility to it. Especially design Roller for Manual Feeding make even gap between two Prints and reduce the wastage of the Lamination film, and the slitting distance from the spine can be adjusted. One of the two Slitting devices (cutter) is fixed and the other is adjustable in between the paper width.

Key Features

- 7" Touch Panel Display :
- Easy & User-friendly touch control program for V-Shape Lay flat Binding.
- Manual Feeding :
- To get more precise and accurate feeding, the Roller is specially programmed, to avoid the overlapping and maintaining the distance between two sheets.
- TWO Slitting Device (Window Cut) :
- One of the two Slitting device (cutter) is fixed and the other is adjustable in between the paper width.
- Dust Cleaning Rollers :
- Special design sticky rubber roller.
- Catch the dust from print surface.
- Easy to clean the dust roller once operation done.
- Lamination :
- TWO Options for Film Roll 3" Core & 1" Core.
- Auto Cut (Sheet Separator) :
- Built in automatic cutting system between TWO lamination sheets (For any type of film PET | Polyester | BOPP).
- V-Shape Process :
- Our patented V-Shape length cutting to arrange the paper in V-Shape for LayFlat opening.


Professional, Attractive And Elegantly Crafted Photobooks **Production Line In Your Business**














Specifications

Maximum Paper Size	:	482mm x 482mm
Minimum Paper Size	•	300mm x 300mm
Thickness of paper	:	Min 0.13mm-Max 0.25mm
Speed	:	400Sheets /hour
Power Supply	:	220V AC (50 Hz)
Power Consumption	:	3500W
Machine dimension	:	2210(L)x 1065(W)x (H)1575 (mm)
Air compressor	:	Pneumatic connection required

TL 400 VS m

V-Shape Layflat binding machine with lamination





Connect with us For support or any queries Email us at : info@layflat.com

Head - office

Layflat.com AG, Dreilindenstrasse 25, CH-6045 Meggen, Switzerland. Tel: +41 (76) 351 22 25

Get Connected on

