

TP 450 VS a



LATEST

BOOKBINDING

TECHNOLOGIES FOR YOUR UNIQUE REQUIREMENTS

Our binding techniques allow seamless uninterrupted display between two pages.

BINDING MACHINES FOR DUPLEX PRINTS

• Description

TP 450 VS is a multi-functional Slit and Strip Binding machine which is used to give photo books made of special media, a completely LayFlat opening with V-Shape Technology. This machine solves the problem that typically occurs when laminating photo books that have unique surfaces such as Texture Paper, Metallic Paper, Luster Paper etc., which is that laminating such unique media reduces its charm and richness. TP 450 VS solves this problem by slitting and taping the spine along with strengthening and adding flexibility to it. Auto feeder can feed the media as per the programmed, and the slitting distance from the spine can be adjusted. TP 450 VS also comes with Two Slitting device for Multiple ups books in single page, a Paper Guide to help set and maintain distance from the spine and create a V-Shape, along with a Digital Display Panel to set the slitting distance.

• Key Features

7" Touch Panel Display :

- Easy & User-friendly touch control program for V-Shape Layflat Binding.

Auto Feeding :

- Electro Pneumatic feeder is specially designed for inserting one sheet at a time.

TWO Slitting Device :

- One of the two Slitting device (cutter) is fixed and the other is adjustable in between the paper width.

Two Tape Rolls :

- The adhesive tape is specially designed, to ensure proper holding of the joints and resulting in accurate binding.
- Auto Indication alerts, before the tape roll is about to finish.

Tape Finish :

- Gloss & Luster Finished tapes for the various types of media.

Auto Cut (Sheet Separator) :





- Built in automatic cutting system for cutting tapped sheets.

V-Shape Process :

- Our patented V-Shape Technology to arrange the paper in V-Shape for lay flat opening.

Professional, Attractive And Elegantly Crafted Photobooks

Production Line In Your Business





Specifications

Maximum Paper size	: 482mm x 482mm
Minimum Paper size	: 200mm x 200mm
Thickness of paper	: Min 0.13mm – Max 0.25mm
Tape	: Width 12mm / Thickness 15 micron
Tape Material	: Polyester
Speed	: 450 Sheets/hour
Power Supply	: 220V 50HZ
Maximum power consumption	: 1500W
Machine dimension	: 1931(L) x 1002(W)x 1435(H) (mm)
Weight	: 300 Kg
Air compressor	: Pneumatic connection required

TP 450 VS a

*All-in-one photobook binding and lamination system





Connect with us

For support or any queries

Email us at : info@layflat.com

Head - office

**Layflat.com AG, Dreilindenstrasse 25, CH-6045 Meggen,
Switzerland. Tel: +41 (76) 351 22 25**

Get Connected on

